

FY748 LABORATORY HOT AIR DRYER



MODEL NO.

FY748

APPLICATION

Laboratory Hot Air Dryer is designed for sample dyeing drying, and drying time is only about ten minutes.

STANDARDS

STANDARDS

Note: this tester can conform to but not limit to the standards above, for more standards conformance, please contact us.



FANYUAN INSTRUMENT (HF) CO., LTD.
DOWELL SCIENCE AND TECHNOLOGY (HK) CO., LTD.
ADD: Tianyuan Road 9#, High-tech Zone, Hefei City, China Postal Code: 230088
TEL: +86-551-65232508
FAX: +86-551-65232507
Email: sales@hkdownell.com
Website: http://www.fyichina.com.cn

FEATURES

- The temperature can preset from room temperature t 99°
- Controlling accuracy : $\pm 1^{\circ}\text{C}$, large LED display.
- Dyeing time is very short, only about ten minutes.

KEY SPECIFICATION

Temperature range	Room temperature~99°C
Display	LED
Accuracy	$\pm 1^{\circ}\text{C}$
Drying mode	Forced hot air convection
Inner dimensions	550×500×550mm(L×W×H)
Instrument dimensions	950×770×1100mm(L×W×H)
Power supply	AC380V, 3.2kW

STANDARD CONFIGURATION

No.	Item	Quantity
1	Main machine	1set
2		

OPTIONAL ACCESSORIES

No.	Item
1	