



WWW.FYICHINA.COM.CN

FANYUAN INSTRUMENT (HF) CO., LTD.  
DOWELL SCIENCE AND TECHNOLOGY (HK) CO., LTD.  
ADD: Tianyuan Road 9#, High-tech Zone, Hefei City, China Postal Code: 230088  
TEL: +86-551-65232508  
FAX: +86-551-65232507  
Email: [sales@hkdownell.com](mailto:sales@hkdownell.com)  
Website: <http://www.fyichina.com.cn>

## DW7020H MINI-TYPE DRAWING FRAME



**MODEL NO.**

**DW7020H**

**Application:**

**DW7020H Mini-type Drawing Frame** is applicable for drafting fibers of bending cotton sliver to be straight and improve the degree of uniformity of cotton sliver through combining. It's the ideal system for teaching, researching, etc.

#### Related Standards:

##### STANDARDS

Note: this tester can conform to but not limit to all the standards above, for more standards conformance, please contact us.

#### Features:

- With four up and four down drafting structure;
- Use can coiler to output cotton sliver;
- Controlled by small size, high speed, and high-performance PLC control system;;
- High-efficiency imported frequency converter;
- Use touch screen as man-machine interface, input technical parameter and show machine run state by touch screen;
- Scalable network module;
- Mini-type design, easy to clean, set and maintain.

#### Key Specification:

- |                          |  |
|--------------------------|--|
| ● Suitable fiber length: | 21 to 90mm (cotton or chemical fiber)  |
| ● Output per hour        | approx. 0.25-1kg   |
| ● Max sliver speed:      | 3~24m/min, continuous adjustable   |
| ● Roller size            | Φ35mm  |
| ● Doubling(X):           | Up to 8  |
| ● Draw type:             | 3 rollers 2 straight line drawing  |
| ● Total draw ratio:      | approx. 2-40 times,  |
| ● Delivery can           | Φ10", height 20"   |
| ● Feed can               | Φ250*550"  |
| ● Roller pressure mode:  | spring-weighted  |
| ● Feed type:             | sliver, cotton rolls   |
| ● Output type:           | sliver, cotton rolls   |
| ● Output speed           | 2.5-28m/min  |
| ● Control system:        | controlled by small size, high speed, and high-performance PLC control system; |
| ● Dimension:             | 1200×800×1200mm (L×W×H)  |
| ● Power                  | 600W   |
| ● Dimension              | 220V/380V AC 50/60Hz   |



WWW.FYICHINA.COM.CN

**FANYUAN INSTRUMENT (HF) CO., LTD.  
DOWELL SCIENCE AND TECHNOLOGY (HK) CO., LTD.**

ADD: Tianyuan Road 9#, High-tech Zone, Hefei City, China Postal Code: 230088

TEL: +86-551-65232508

FAX: +86-551-65232507

Email: [sales@hkdowell.com](mailto:sales@hkdowell.com)

Website: <http://www.fyichina.com.cn>

---

**Standard configuration:**

No.	Item	Quantity
1	Main machine	1 pcs