


## DW9420 BALLY LEATHERS FLEXING TESTER



CONTROL PANNEL



GRIP

## MODEL NO.

DW9420

## Application:

DW9420 Bally leathers flexing tester. This product is to test the flexing-resistance of leathers for production of vamp, clothing materials, or bags. Test the testing piece with speed of 100CMP and flexing angle  $22.5^{\circ}$ , Test the test piece till the piece of leather cracks. Then record its times for flexing-resistance. Or, test the test piece with the above method for fixed times and on serve if it has cracking situation.

## Related Standards:

STANDARDS	ISO 5402:2002	JIS K 6545-1994
-----------	---------------	-----------------

Note: this tester can conform to but not limit to all the standards above, for more standards conformance, please contact us.

## Features:

- Internationally accepted testing method
- simple operation;
- angle of flexing can be adjusted
- long-term durability
- fitted with a pre-determined counter to avoid continuous attendance during a test

## Key Specification:

- |                    |                 |
|--------------------|-----------------|
| ● Number of Grips  | 12pcs           |
| ● Angle of flexing | $22.5^{\circ}$  |
| ● Speed            | $100 \pm 5$ CMP |
| ● Power supply     | 220v 50Hz       |
| ● Template         | 70×45mm         |
| ● Counter          | 6 digit         |
| ● Dimension        | 52×64×40cm      |
| ● Weight           | 60Kg            |



**FANYUAN INSTRUMENT (HF) CO., LTD.**  
**DOWELL SCIENCE AND TECHNOLOGY (HK) CO., LTD.**  
ADD: Tianyuan Road 9#, High-tech Zone, Hefei City, China Postal Code: 230088  
TEL: +86-551-65232508  
FAX: +86-551-65232507  
Email: [sales@hkdowell.com](mailto:sales@hkdowell.com)  
Website: <http://www.fyichina.com.cn>

---

**Standard configuration:**

No.	Item	Quantity
1	Main machine	1 set
2	Electric cord	1 pcs